#### IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org









### CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: August 2014 Void After: August 2015

Product: Flush Valves with Dual Flush Device for

File No. 6096

Water Closets

Issued To: Fluidmaster, Inc.

30800 Rancho Viejo Road

San Juan Capistrano, CA 92675

Identification: Flush valves with dual flush device shall be marked with manufacturer's name

and/or trademark. Markings shall be permanent, legible and visible after installation. Product shall also bear the cUPC® certification mark.

Characteristics: To be installed in accordance with the manufacturer's instructions and the

latest edition of the Uniform Plumbing Code and the National Plumbing Code of

Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada
International Plumbing Code (IPC®)

Chairman, Product Certification Committee

CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



# IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

Page 2

Void After: August 2015

Product: Flush Valves with Dual Flush Device for Water Closets File No. 6096

Issued To: Fluidmaster, Inc.

Products are in compliance with the following standard(s):

IAPMO PS 50-2010 and ASME A112.19.5-2011/CSA B45.15-11



## IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

Page 3

Void After: August 2015

Product: Flush Valves with Dual Flush Device for Water Closets File No. 6096

Issued To: Fluidmaster, Inc.

#### MODELS:

Model No.	Description
920	Dual flush type valve using 2-1/2" grey rubber seal part
930	Dual flush device for gravity flush water closet tanks
550DFR	Dual flush device for gravity flush water closet tanks
PRO92	Dual flush type valve using 2-1/2" grey rubber seal part
PRODFV	Dual flush type valve using 2-1/2" grey rubber seal part
S2DB	Dual flush type valve using 2-1/2" grey rubber seal part

x182x2-Wx3-FEP-000, x183x2-Wx3-FEP-000

Where x1 = prefix

22 = Fluidmaster® "Only the Best Inside" or bundle program

\_\_ = no prefix, standard marketing program

Where  $x_2 = height$ 

0 = valve body height option 0

1 = valve body height option 1

Where x3 = mount

T = top mounted valve, clip

B = bottom mounted valve, threaded

Where 000 = valve options

alpha numeric value = valve options and settings including float settings, activation interface option, overflow height, accessories, packaging.