


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

FLUIDMASTER, INC.

30800 RANCHO VIEJO ROAD SAN JUAN CAPISTRANO, CA 92675 , United States

Product:

Flush Valves with Dual Flush Device for Water Closets

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada
International Plumbing Code (IPC®)

Products are certified to the following standard(s):

IAPMO PS 50-2019 and ASME A112.19.5-2017/CSA B45.15-17

File Number: 6096

Effective Date: August 2019

Void After: August 2024*


Chairman, Product Certification Committee




Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: FLUIDMASTER, INC.

Effective Date: August 2019

File Number: 6096

Product: Flush Valves with Dual Flush Device for Water
Closets

Void After: August 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Flush valves with dual flush device shall be marked with manufacturer's name and/or trademark. Markings shall be permanent, legible and visible after installation. Product shall also bear the cUPC® certification mark.


Characteristics:

To be installed in accordance with the manufacturer's instructions and the latest edition of the Uniform Plumbing Code and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: FLUIDMASTER, INC.

Effective Date: August 2019

File Number: 6096

Product: Flush Valves with Dual Flush Device for Water Closets

Void After: August 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Note: Models preceded by a "*" are also in compliance with ICC/ANSI A117.1.

Model Number	Description
B01US	Dual flush device for gravity flush water closet tanks — for use with T02-2116US carrier system


800 Series

Base Model	Description
x182x2-Wx3-FEP-000	Dual flush device for gravity flush water closet tanks, 2 inch shank
x183x2-Wx3-FEP-000	Dual flush device for gravity flush water closet tanks, 3 inch shank
x1832-Wx3-FEP-000	Dual flush device for gravity flush water closet tanks, 3 inch shank, 225 mm body
x₁	prefix
22	Fluidmaster® "Only the Best Inside" or bundle program
—	no prefix, standard marketing program
x₂	height
0	valve body height option 0
1	valve body height option 1
0SGB	retail packaging
0VBGB	retail packaging
0VTGB	retail packaging
x₃	mount
T	top mounted valve, clip
B	bottom mounted valve, threaded
000	valve options. alpha numeric value = valve options and settings including float settings, activation interface option, overflow height, accessories, packaging.

Base Model	Description
------------	-------------

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: FLUIDMASTER, INC.

Effective Date: August 2019

File Number: 6096

Product: Flush Valves with Dual Flush Device for Water Closets

Void After: August 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Base Model	Description
(S) 550 (-)	Dual flush device for gravity flush water closet tanks
(S)	indicates a prefix
22	ONLY THE BEST INSIDE or Bundle Program Model
PRO	Trade and Contractor 400 Models
(-)	indicates a suffix
*DFR	Dual Flush Retail
-3	retail packaging
K	Kit