

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

LEAD FREE

IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

FLUIDMASTER, INC.

30800 RANCHO VIEJO ROAD SAN JUAN CAPISTRANO, CA 92675 , United States

Product:

Lead Free Plumbing Products

Products are certified to the following standard(s):

**Section 1417(d) of the Safe Drinking Water Act The lead content requirements of Section 116875 of the California Health & Safety Code
NSF/ANSI 372-2016**

File Number: K-12296

Effective Date: January 2020

Void After: October 2024*


Chairman, Product Certification Committee




Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Issued To: FLUIDMASTER, INC.

Effective Date: January 2020

LEAD FREE

File Number: K-12296

Product: Lead Free Plumbing Products

Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Each product shall bear permanent and legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall bear the appropriate IAPMO R&T certification mark. The product may also bear either "Lead Free" or "Low Lead" above or in close proximity to the IAPMO R&T certification mark.

Characteristics:

Products may include any pipe, pipe fitting, solder, flux, or other plumbing products providing water for human consumption. Products listed below are to be installed in accordance with the manufacturer's instruction. These products have been verified with weighted average lead content $\leq 0.25\%$; Solder and flux lead content $\leq 0.2\%$.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Issued To: FLUIDMASTER, INC.

Effective Date: January 2020

LEAD FREE

File Number: K-12296

Product: Lead Free Plumbing Products

Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
9WMxx	Length Range in Inches: 48-72
9WMxxHE	Length Range in Inches: 48-96
1Txx	Length Range in Inches: 6-20
1TxxKLR	Length Range in Inches: 6-20
1TxxCS	Length Range in Inches: 6-24
1TxxM	Length Range in Inches: 6-24
3Txx	Length Range in Inches: 6-20
4Txx	Length Range in Inches: 6-24
4TxxCS	Length Range in Inches: 6-24
12IMxx	Length Range in Inches: 12-24
1Fxx	Length Range in Inches: 6-24
1FxxCS	Length Range in Inches: 6-24
3Fxx	Length Range in Inches: 9-24
4Fxx	Length Range in Inches: 6-24
4FxxCS	Length Range in Inches: 6-24
4FxxUCS	Length Range in Inches: 6-24
6Fxx	Length Range in Inches: 6-24
6WxxK	Length Range in Inches: 48-96
8Fxx	Length Range in Inches: 9-24
1WxxK	Length Range in Inches: 6-30; 36-96
1Wxx	Length Range in Inches: 36-72
6Wxx	Length Range in Inches: 10-24
1Hxx	Length Range in Inches: 12-24
4Hxx	Length Range in Inches: 12-24
3Hxx	Length Range in Inches: 12-24
2Hxx	Length Range in Inches: 12-24
1TVxx	Length Range in Inches: 9-20

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Issued To: FLUIDMASTER, INC.

Effective Date: January 2020

LEAD FREE

File Number: K-12296

Product: Lead Free Plumbing Products

Void After: October 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Model Number	Description
4TVxx	Length Range in Inches: 9-24
1FVxx	Length Range in Inches: 9-20
4FVxx	Length Range in Inches: 9-24

Prefix Table

[NONE]	RETAIL LABELING /PACKAGING
B	RETAIL BULK LABELING /PACKAGING
PRO	PROFESSIONAL/TRADE LABELING/PACKAGING
xx	where xx = FLEXIBLE CONNECTOR LENGTH IN INCHES
C	CANADIAN LABELING /PACKAGING
U	UNIVERSAL ADAPTER KIT
0	numeric, where 0 = CUSTOMER SPECIFIC LABEL / PACKAGE
00	numeric, where 00 = CUSTOMER SPECIFIC LABEL / PACKAGE
R	CUSTOMER SPECIFIC LABELING /PACKAGING
G	CUSTOMER SPECIFIC LABELING /PACKAGING
H	CUSTOMER SPECIFIC LABELING /PACKAGING
IP	CUSTOMER SPECIFIC LABELING /PACKAGING
L	CUSTOMER SPECIFIC LABELING /PACKAGING
K	KIT
W	GEOGRAPHIC SPECIFIC LABELING /PACKAGING
Pxx	where xx = COUNT PER PACKAGE